

SureColor SC-T5405 - wireless printer (with stand)



The 36-inch technical printer for professionals looking for reliability and cost saving, with high-quality precision printing in-house.

The SC-T5405 large format printer is ideal for printing high-quality CAD designs, architectural or engineering technical drawings, general office documents, high-visibility posters for event organisers or point-of-purchase (POP) signage for retailers. Designed for those who need a professional-level, floor-standing, technical printer which boasts a low total cost of ownership.

Enhanced productivity

High capacity ink cartridges (110ml, 350ml and 700ml) and 4-colour pigment UltraChrome XD2 inks that are smudge and water resistant. Also, the SC-T5405 delivers deep blacks and crisp, dense lines — which is ideal for technical graphics.

A bigger picture

The SC-T5405 offers cost and time saving benefits by enabling a document enlargement workflow. Simply connect your Epson inkjet multifunction printer to your LFP and select the size you desire (up to A0 / 36 inches).

Seamless paper changes

Change seamlessly between LFP roll and sheetfeed as this printer supports up to A0 cut sheets as well as rolls.

Peace of mind

Even occasional users can expect consistent print quality. Unique Nozzle Verification Technology (NVT) helps prevent misprints by constantly monitoring for any blockages.

KEY FEATURES

- **Production flexibility**
110ml/350ml/700ml ink cartridges
- **POP Draft Mode**
Print A0 posters in as little as 36 seconds
- **Unobtrusive design**
Floor-standing to fit seamlessly into most environments
- **Ease of use - wireless printing**
From your desktop or mobile device
- **Peace of mind**
Unique Nozzle Verification Technology (NVT) helps prevent misprints

PRODUCT SPECIFICATIONS

TECHNOLOGY

| | |
|-----------------|-------------------------------|
| Printing Method | PrecisionCore™ Print Head |
| Ink Technology | Pigment ink, Ultrachrome® XD2 |

PRINT

| | |
|----------------------|--|
| Number of colours | 4 colour |
| First Page Out | Monochrome 22 Seconds, Colour 22 Seconds |
| Colours | Black [Pigment], Cyan [Pigment], Yellow [Pigment], Magenta [Pigment] |
| Colours Capacity | Matte Black [110ml, 350ml, 700ml], Cyan [110ml, 350ml, 700ml], Yellow [110ml, 350ml, 700ml], Magenta [110ml, 350ml, 700ml] |
| Minimum Droplet Size | 4 pl, With Variable-Sized Droplet Technology |
| Minimum line width | 0.02 mm |
| Line accuracy | +/- 0.1 |
| Print from | PC, MAC, Mobile Device, USB |
| Ink tank capacity | 700 ml |
| Nozzle Configuration | 800 Nozzles Black, 800 Nozzles per Color |
| Printing Resolution | 2,400 x 1,200 DPI |

PAPER / MEDIA HANDLING

| | |
|----------------------------|---|
| Paper Formats | A1 (59.4x84.1 cm), A2 (42.0x59.4cm), A2+, A3+, A3 (29.7x42.0 cm), A4 (21.0x29.7 cm), B1 (72.8x102.8 cm), B2 (51.4x72.8 cm), B3 (36.4cmx51.4 cm), B4 (25.7x36.4 cm), B5 (17.6x25.7 cm), 17 " (43.2 cm) Roll, 24 " (61.0 cm) Roll, A0 (84.1x118.9cm), 36 " (91.4 cm) Roll |
| Print Margins Sheet Media | Mode 1: 3 mm (top), 3 mm (right), 20 mm (bottom), 3 mm (left) |
| Print Margins Roll Media | Mode 1: 3 mm (top), 3 mm (bottom) |
| Compatible Paper Thickness | 0.05 mm - 0.3 mm |

GENERAL

| | |
|------------------------------------|---|
| Power consumption | 38 Watt, 13 Watt (standby), 0.25 Watt (Power off) |
| Supply Voltage | AC 100 V - 240 V, 50 Hz - 60 Hz |
| Product dimensions | 1,385 x 750 x 1,060 mm (Width x Depth x Height) |
| Product weight | 76 kg |
| Sound Power | Operation: 7.5 B (A) |
| Mobile and Cloud printing services | Apple AirPrint |
| Noise Level | Operation: 50 dB (A) - Standby: 32 dB (A) |
| Optional extras | Document carrier sheet A0, Cover Plus warranty extensions |

OTHER FEATURES

| | |
|------------------------------------|---|
| Memory | Printer: 1 GB |
| Compatible Operating Systems | Mac OS X 10.6.8 or later, Windows 10, Windows 7, Windows 8, Windows Vista, Windows XP |
| Emulations | ESC/P-R, HP-GL2, RTL |
| Features | Touchscreen, Direct print from USB |
| Interfaces | USB 3.0, Gigabit ethernet interface, Wireless LAN IEEE 802.11b/g/n, Wi-Fi Direct |
| Optional Software & Solutions | Epson Print Automate, Dinax Mirage |
| Security | TLS, SSL, IEE 802, SNMP, IPsec, IPv6 |
| Media Handling | Auto cutter, Roll Paper |
| Scanner not included with delivery | |

SureColor SC-T5405 - wireless printer (with stand)

WHAT'S IN THE BOX

- Warranty document
- User manual (CD)
- AC cable
- Paper stacker
- Individual Ink Cartridges
- Driver and utilities (CD)
- Setup guide
- Printer Stand with stacking print basket
- Spindle Unit(s)
- SureColor T-Series Printer
- Maintenance Tank

PRODUCT SPECIFICATIONS

LCD AND MEMORY CARDS

Panel Type: Color, Touchscreen, Diagonal: 10.9 cm

SCAN

Supported models Epson WorkForce DS-6500, Epson WorkForce DS-60000

SureColor SC-T5405 - wireless printer (with stand)

WHAT'S IN THE BOX

- Warranty document
- User manual (CD)
- AC cable
- Paper stacker
- Individual Ink Cartridges
- Driver and utilities (CD)
- Setup guide
- Printer Stand with stacking print basket
- Spindle Unit(s)
- SureColor T-Series Printer
- Maintenance Tank

SUPPLIES

| | |
|--|------------|
| ● Auto Cutter Spare Blade S902007 | C13S902007 |
| ● Borderless Replacement Pad Kit Tx400 | C13S400064 |
| ● Maintenance Box T699700 | C13T699700 |
| ● Singlepack UltraChrome XD2 T41F240 Cyan 350ml | C13T41F240 |
| ● Singlepack UltraChrome XD2 T41F340 Magenta 350ml | C13T41F340 |
| ● Singlepack UltraChrome XD2 T41F440 Yellow 350ml | C13T41F440 |
| ● Singlepack UltraChrome XD2 T41F540 Black 350ml | C13T41F540 |
| ● Singlepack UltraChrome XD2 T41R240 Cyan 110ml | C13T41R240 |
| ● Singlepack UltraChrome XD2 T41R340 Magenta 110ml | C13T41R340 |
| ● Singlepack UltraChrome XD2 T41R440 Yellow 110ml | C13T41R440 |
| ● Singlepack UltraChrome XD2 T41R540 Black 110ml | C13T41R540 |
| ● Bond Paper Bright 90, 594mm x 50m | C13S045277 |
| ● Bond Paper Bright 90, 610mm x 50m | C13S045278 |
| ● Bond Paper Bright 90, 841mm x 50m | C13S045279 |
| ● Bond Paper Bright 90, 914mm x 50m | C13S045280 |
| ● Bond Paper Satin 90, 610mm x 50m | C13S045282 |
| ● Bond Paper White 80, 594mm x 50m | C13S045272 |
| ● Bond Paper White 80, 610mm x 50m | C13S045273 |
| ● Bond Paper White 80, 841mm x 50m | C13S045274 |
| ● Bond Paper White 80, 914mm x 50m | C13S045275 |
| ● Coated Paper 95, 610mm x 45m | C13S045284 |
| ● Coated Paper 95, 914mm x 45m | C13S045285 |
| ● Doubleweight Matte Paper Roll, 24" x 25 m, 180g/m{s2} | C13S041385 |
| ● Enhanced Adhesive Synthetic Paper Roll, 24" x 30,5 m, 135g/m{s2} | C13S041617 |
| ● Enhanced Synthetic Paper Roll, 24" x 40 m, 84g/m{s2} | C13S041614 |
| ● Matte Backlit Film, 24" x 30,5 m, 280g/m{s2} | C13S045083 |
| ● Premium Glossy Photo Paper Roll, 16" x 30,5 m, 170g/m{s2} | C13S042076 |
| ● Premium Glossy Photo Paper Roll, 24" x 30,5 m, 166g/m{s2} | C13S041390 |
| ● Premium Semigloss Photo Paper Roll, 24" x 30,5 m, 160g/m{s2} | C13S041393 |
| ● Premium Semigloss Photo Paper, 16,5" x 30,5 m, 160g/m{s2} | C13S042075 |
| ● Presentation Paper HiRes 120, 610mm x 30m | C13S045287 |
| ● Presentation Paper HiRes 120, 914mm x 30m | C13S045288 |
| ● Presentation Paper HiRes 180, 610mm x 30m | C13S045291 |
| ● Presentation Paper HiRes 180, 914mm x 30m | C13S045292 |
| ● Production Poly Textile B1 (290), 914mm x 30m | C13S045525 |
| ● Production Poly Textile B1 Light (180), 914mm x 50m | C13S045524 |
| ● Production PP Film Matte, 914mm x 30,5m | C13S045522 |
| ● Singleweight Matte Paper Roll, 17" x 40 m, 120g/m{s2} | C13S041746 |
| ● Singleweight Matte Paper Roll, 24" x 40 m, 120g/m{s2} | C13S041853 |
| ● Singlepack UltraChrome XD2 Cyan 700ml | C13T41E240 |
| ● Singlepack UltraChrome XD2 Magenta 700ml | C13T41E340 |
| ● Singlepack UltraChrome XD2 Yellow 700ml | C13T41E440 |
| ● Singlepack UltraChrome XD2 Matte Black 700ml | C13T41E540 |
| ● Archival Matte Paper, DIN A3+, 189g/m{s2}, 50 Sheets | C13S041340 |
| ● Archival Matte Paper, DIN A3, 189g/m{s2}, 50 Sheets | C13S041344 |
| ● Archival Matte Paper - A4 - 50 Sheets | C13S041342 |
| ● Enhanced Matte Paper, DIN A2, 192g/m{s2}, 50 Sheets | C13S042095 |
| ● Enhanced Matte Paper, DIN A3+, 192g/m{s2}, 100 Sheets | C13S041719 |
| ● Enhanced Matte Paper, DIN A4, 192g/m{s2}, 250 Sheets | C13S041718 |
| ● Photo Quality Ink Jet Paper, DIN A2, 102g/m{s2}, 30 Sheets | C13S041079 |
| ● Photo Quality Ink Jet Paper, DIN A3+, 102g/m{s2}, 100 Sheets | C13S041069 |
| ● Photo Quality Ink Jet Paper, DIN A3, 102g/m{s2}, 100 Sheets | C13S041068 |
| ● Photo Quality Inkjet Paper - A4 - 100 Sheets | C13S041061 |
| ● Premium Glossy Photo Paper, DIN A2, 255g/m{s2}, 25 Sheets | C13S042091 |
| ● Premium Glossy Photo Paper, DIN A3+, 250g/m{s2}, 20 Sheets | C13S041316 |

SureColor SC-T5405 - wireless printer (with stand)

LOGISTICS INFORMATION

Waranty offers are not available for all countries. Please contact your local Epson representative.

For further information please contact your local Epson office or visit www.epson-europe.com
Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09 74 76 04 04
Germany 8715946687049
(Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece +30 211 198 62 12 Hungary 06800 147
83 Ireland 01 436 7742
Country of Origin Indonesia
Italy 02-660321 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway
+47 67 11 37 00
Poland 0-0-800 4911299 (0,16 zł/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429 South Africa (+2711)
465-9621
Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal – 0,99 kr/min, Lokala samtal – 0,30 kr/min, Utlandssamtal – 0,89 kr/min)
Switzerland 022 592 7923
Turkey (0212) 3360303 United Kingdom 0871 222 6702

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.
Product information is subject to change without prior notice.