

Digital colour multifunction printers

IM C2010(A) IM C2510 IM C3010(A) IM C3510(A) IM C4510(A) IM C5510A IM C6010

☑ Printer ☑ Copier ☑ Scanner ☑ Fax -.... = _____

 IM C2010(A)
 IM C2510
 IM C3010(A)
 IM C3510(A)

 20 ppm
 25 ppm
 30 ppm
 35 ppm

 10 C4510(A)
 IM C4510(A)
 IM C6010

 45 ppm
 55 ppm
 60 ppm

Let's make your print infrastructure a gateway to your digital workspace

As workstyles evolve, digitalisation, agility and teamwork are essential for your organisation to remain competitive. Ricoh's Managed Print & Automation Services unlock the value of your print infrastructure with tailored, managed solutions which empower your people, improve efficiency, reduce cost, enhance security and drive sustainability. Our market-leading IM C Series is innovatively designed. Devices seamlessly integrate with cloud-based services and offer high-quality print, scanning and workflow automation.





Achieve your sustainability goals

With environmental impact at the top of the global agenda, a sustainable approach to organisational operations is essential. Whether reducing resource and energy consumption to save costs or demonstrating a responsible approach to procuring products and services, the right print infrastructure and partner can support your sustainability goals.

A carbon neutral future

At Ricoh, we are firmly committed to reducing our environmental impact and driving a sustainable approach. The IM C Series significantly reduces energy consumption, as well as paper consumption by digitising workflows through scanning; helping to reduce your carbon footprint and costs.

More energy savings

The IM C Series boasts industry-leading low Typical Energy Consumption (TEC) values and automatic eco-mode energy saving (0.3W) when in sleep mode. They use an innovative new toner that fuses at a lower temperature, resulting in the ideal intelligent device with sustainability at its core.

More recycled plastic

Designed for sustainability across its lifecycle, the IM C Series is made using 50% post-consumer recycled plastic while PET toner bottles are produced from 100% recycled plastic. Plastic packaging is reduced by 54% thanks to a more sustainable material and no excess packaging.

Secure and efficient

In an increasingly digital world, organisations must protect sensitive data while enabling flexible workstyles. Our printers are designed and manufactured with endto-end security protection and includes the latest security features – RICOH Always Current Technology and Multi-Factor Authentication. Secure cloud infrastructure ensures safe access – anywhere and any device.

Ongoing security

RICOH's Always Current Technology provides access to security upgrades and automatically downloads updates. New security tools include WPA3 authentication for wireless encryption and the latest hardware security module. You can also restrict networks by port name and protocol as well as IP address.

More security – Multi-Factor Authentication

Multi-Factor Authentication, including new card-based access to our printing devices, to minimise the risk of data breaches.

Improved admin management system

The IM C Series offers privileged admin account control with unlimited Multi-Function Printer administrator accounts and customisable permissions. This eliminates risks related to sharing IDs and can be linked to user ID systems including Microsoft Windows and LDAP platforms.





Enhanced productivity and seamless employee experience

Ricoh's intelligent devices enable the ultimate employee experience with features that save time and increase efficiency. The IM C Series automates workflows that accelerate processes and encourage collaboration. An optimised print infrastructure empowers employees to transition to digital ways of working easily and securely; improving their workplace experience.

Third-generation Smart Operation Panel

Our user-friendly IM C Smart Operation Panel has been upgraded for an even more intuitive and enjoyable experience. Brightness, touch sensitivity and position detection have been improved for optimal access to the device's many resources and functions.

Improved user experience

- Android OS 10 for better security and usability
- Faster CPU, high RAM memory and enhanced performance
- Enhanced accessibility to device, tiltable for better visibility & new capacitive touch sensor
- · Fast wake up time from sleep mode

Efficiencies in paper handling

New peripherals ensure professional results with automated finishing possibilities. The single pass double-sided document feeder capably handles high volumes, special paper and card types. High-end options include a hybrid and booklet finisher for that extra touch.







Supporting your entire digital journey now and into the future

We understand the digital transformation that organisations are undertaking. We are here to set your organisation up for success and equip your people with the right tools to stay ahead. Our Managed Print & Automation Services can adapt to your changing needs, offering customisation, flexibility and reliability.

Scanning and automation

Scanning and automation just got easier and quicker. Scanning creates digitised documents that can automate processes like invoice and contract management. Uploading documents into your systems for archiving, knowledge sharing or as part of a workflow is now simpler with Ricoh's software.

Document management storage

Our scalable document management applications drive significant cost savings alongside process improvements. By taking print to the cloud, you can set location-aware printers and enable users to print anytime, anywhere.





Transitioning to the cloud

Our cloud software solutions are readily available and easy to integrate with your existing IT infrastructure, allowing you to enhance the capabilities of your print device. You can also securely connect mobile devices to carry out tasks from your phone or tablet.



The choice is yours

Simple to use with sophisticated and professional results, Ricoh's IM C Series is the perfect tool for your digital workspace. Our trusted quality and technical expertise are evident from every angle.

IM C2010/IM C2010A/IM C2510

- 20 to 25 ppm A3 all-in-one printer for all-round support
- Scan speed 150ipm (simplex)/300ipm(duplex) in SPDF
- Fast warm-up time of 24 seconds
- TEC value (kWh/week): 0.20 (20ppm)/0.25 (25ppm)
- B/W power consumption (operation): 411.8 W (20ppm)/449.2 W (25ppm), Sleep mode: 0.3 W

IM C3010/IM C3010A/IM C3510/IM C3510A


- 30 to 35 ppm A3 all-in-one printer for high productivity
- Scan speed 150ipm (simplex)/300ipm(duplex) in SPDF
- Fast warm-up time of 24 seconds
- TEC value (kWh/week): 0.30 (30ppm)/0.35 (35ppm)
- B/W power consumption (operation): 464.4 W (30ppm)/500.5 W (35ppm), Sleep mode: 0.3 W

IM C4510/IM C4510A/IM C5510A/IM C6010

- Productive 45 to 60 ppm A3 all-in-one printer for top performance
- Scan speed 150ipm (simplex)/300ipm(duplex) in SPDF
- Super fast warm-up time of 23 seconds
- TEC value (kWh/week): 0.45 (45ppm)/0.62 (55ppm)/0.67 (60ppm)
- B/W power consumption (operation): 576.6 W (45ppm)/726 W (55ppm)/763.3 W (60ppm), Sleep mode: 0.32 W



Hardware configuration



IM C2010(A) / IM C2510 / IM C3010(A) / IM C3510(A) / IM C4510(A) / IM C5510A / IM C6010

	IM C2010(A)	IM C2510	IM C3010(A)	IM C3510(A)	IM C4510(A)	IM C5510A	IM C601	
GENERAL								
Varm-up time	24 seconds	24 seconds	24 seconds	24 seconds	23 seconds	23 seconds	23 second	
irst copy speed: B/W	5.1 seconds	5.1 seconds	4.5 seconds	4.5 seconds	3.6 seconds	2.9 seconds	2.9 second	
irst copy speed: full colour	7.4 seconds	7.4 seconds	6.9 seconds	6.9 seconds	5.4 seconds	4.2 seconds	4.2 second	
ontinuous output speed	20 ppm	25 ppm	30 ppm	35 ppm	45 ppm	55 ppm	60 ppm	
lemory: standard	6 GB	6 GB	8 GB	8 GB	8 GB	8 GB	8 GB	
emory: maximum	6 GB	6 GB	8 GB	8 GB	8 GB	8 GB	8 GB	
SD: standard				256 GB				
SD: optional (maximum)				1 TB				
DD: optional				320 GB				
				100 sheets				
RDF capacity								
PDF capacity				220 sheets				
/eight ARDF model (kg)	89.7	89.7	92.9	92.9	94.4	-	-	
/eight SPDF model (kg)	96.1	-	99.3	99.3	100.8	100.8	100.8	
imensions ARDF model:			:	587 x 701 x 913 mr	m			
/xDxH								
imensions SPDF model:				587 x 701 x 963 mi	m			
/xDxH								
ower source			2	20 - 240 V, 50 - 60	Hz			
OPIER								
fultiple copying				Up to 999 copies				
Resolution				600 dpi				
loom			From	25% to 400% in 1%	% steps			
RINTER			TOIL	/ III I/				
	4.5	4.5	4	4	0.0	0.5	0.4	
irst print speed: B/W irst print speed: full colour	4.5 seconds 7 seconds	4.5 seconds 7 seconds	4 seconds 6.6 seconds	4 seconds 6.6 seconds	3.2 seconds 5.2 seconds	2.5 seconds 3.8 seconds	2.4 second 3.8 second	
PU (IM C2010(A), IM C2510,	7 30001103	7 3000103		olloLake E3930 1.3		0.0 30001103	0.0 30001	
1 C3010(A), IM C3510(A))			Арс	10Lake L3930 1.3	GHZ			
PU (IM C4510(A), IM C5510(A))			And	olloLake E3940 1.6	CH7			
1 C6010)			Apu	DIULAKE E3940 1.0	GHZ			
rinter language: standard		P	CI 5c PCI 6 PoetS	cript 3 (emulation)	PDF direct (emulati	on)		
	PCL5c, PCL6, PostScript 3 (emulation), PDF direct (emulation)							
rinter language: option	Genuine Adobe® PostScript®3™, XPS, PictBridge, PDF Direct from Adobe®							
rint resolution: maximum			4,80	0 x 1,200 dpi equiv	/alent			
etwork interface: standard		Ethernet 10 base	-T/100 base-TX/10	00 base-T, USB Ho	ost I/F Type A, USB	Device I/F Type B		
etwork interface: option	Wireless LAN (IEEE 802.11 a/b/g/n/ac), Additional NIC (2nd port)							
lobile printing capability			Apple AirPrint, Mo	pria®, Ricoh Smar	t Device Connector			
/indows® environments	Windows® 8.1	. Windows® 10. V	Vindows® 11, Wind	ows® Server 2012	R2. Windows® Sen	ver 2016. Windows	R Server 201	
		,		/indows® Server 20				
lac OS environments				ntosh OS X v10.15				
INIX environments	UNIX Sun® Solaris, HP-UX, SCO OpenServer, RedHat® Linux Enterprise, IBM® AIX							
SAP® environments	SAP® R/3®, SAP® S/4®							
Other supported environments				IBM iSeries				
CANNER								
canning speed: ARDF (A4 LEF,				80 ipm (200/300 dp	ni)			
3/W full colour)								
Scanning speed: SPDF (A4 LEF, 00dpi, B/W full colour)	150 ipm (simplex)/300 ipm (duplex)							
Resolution: maximum	1,200 dpi							
ïle formats	Single Page TIFF, Single page JPEG, Single page PDF, Single page High compression PDF, Single page PDF/A, Multi page TIF Multi page PDF, Multi page High compression PDF, Multi page PDF/A, Single page Encryption PDF, Multi page Encryption PDF							
Scan modes	Single/multi OCR (optional) E-mail, Folder, USB							
AX				, i oldor, oor				
ircuit				PSTN, PBX				
ransmission speed	3 seconds							
odem speed: maximum				33.6 Kbps				
esolution: standard			8x3.	85 line/mm, 200x10	00 dpi			
			16x1	5.4 line/mm, 400x4	00 dpi			
esolution: option					•			
	MH, MR, MMR, JBIG							
ompression method		68 spm						
ompression method canning speed (A4 LEF): ARDF								
ompression method canning speed (A4 LEF): ARDF				94 spm				
tesolution: option compression method icanning speed (A4 LEF): ARDF icanning speed (A4 LEF): SPDF femory: standard)			

IM C2010(A) / IM C2510 / IM C3010(A) / IM C3510(A) / IM C4510(A) / IM C5510A / IM C6010

	IM C2010(A)	IM C2510	IM C3010(A)	IM C3510(A)	IM C4510(A)	IM C5510A	IM C6010		
PAPER HANDLING									
Recommended paper size	Standard paper tray(s) : SRA3, A3, A4, A5, A6, B4, B5, B6, Envelopes Optional paper tray(s) : SRA3, A3, A4, A5, A6, B4, B5, B6, Envelopes Bypass tray : SRA3, A3, A4, A5, A6, B4, B5, B6, Envelopes, Custom Size paper								
Paper input: standard				1,200 sheets					
Paper input: maximum	2,300 sheets	2,300 sheets	4,700 sheets						
Paper output: standard				500 sheets					
Paper output: max. (IM C2010(A), IM C2510, IM C3010(A), IM C3510(A))				1,625 sheets					
Paper output: max. (IM C4510(A), IM C5510A, IM C6010)				3,625 sheets					
Paper weight : Trays	60 - 300 g/m ²	60 - 300 g/m ²	60 - 300 g/m ²	60 - 300 g/m ²	60 - 300 g/m ²	60 - 300 g/m²	60 - 300 g/m ²		
Paper weight : Bypass	52 - 300 g/m ²	52 - 300 g/m ²	52 - 300 g/m ²	52 - 300 g/m ²	52 - 300 g/m ²	52 - 300 g/m ²	52 - 300 g/m ²		
Paper weight : Duplex	52 - 169 g/m ²	52 - 169 g/m ²	52 - 256 g/m ²						
Paper types	Plain paper, Recycle paper, Special paper, Color paper, Letterhead, Cardstock, Preprinted paper, Bond paper, Coate Envelope, Gloss paper, Label paper								

ECOLOGY

Power consumption: max. Power consumption operation: B&W	Less than 1,700 W 411.8 W	/Less than 1,700 W 449.2 W	Less than 1,700 W 464.4 W	/Less than 1,700 W 500.5 W	/Less than 1,850 W 576.6 W	Less than 1,850 W 726 W	/Less than 1,850 W 763.3 W
Power consumption operation: Full colour	456.3 W	494.5 W	515.3 W	543.6 W	664.9 W	827.1 W	871.2 W
Power consumption: ready	37.7 W	37.7 W	38.5 W	38.5 W	40.5 W	40.6 W	40.1 W
Power consumption: sleep	0.3 W	0.3 W	0.3 W	0.3 W	0.32 W	0.32 W	0.32 W
TEC* * It is a reference value based on	0.2 kWh/week	0.25 kWh/week	0.3 kWh/week	0.35 kWh/week	0.45 kWh/week	0.62 kWh/week	0.67 kWh/week

the ENERGY STAR Ver.3.0 test

method.

OUTPUT TRAYS AND FINISHER OPTIONS

1x 550-sheet paper tray, 2x 550-sheet paper tray, 2,000-sheet Large capacity tray, 1,500-sheet side Large capacity tray, 1,000-sheet Hybrid finisher, 3,000-sheet finisher, 1,000-sheet Booklet finisher, 3,000-sheet booklet finisher, 250-sheet Internal finisher, 500-sheet Internal finisher, Stapleless internal finisher, Internal multi-fold unit, Internal shift tray, One-bin tray, Output jogger unit

OTHER OPTIONS

Fax unit, G3 Interface, Fax connection unit, Fax memory unit, Cabinet, Caster table, Side Tray, Banner paper guide tray, Punch units, IPDS unit, Camera direct print card, PostScript 3, IEEE 802.11 a/b/g/n/ac, Device server unit, File format converter, OCR unit, Page keeper, Imageable area extension unit, ADF handle, External keyboard bracket, Counter I/F unit, NFC card reader, EFI controller, EFI Adobe Acrobat, EFI Color Profiler Suite, EFI Jobflow, EFI Fiery ColorRight, EFI Impose, EFI Compose, EFI Fiery Automation, EFI Hot folders, EFI JobExpert and PDF Processing Kit, Unicode Font Package for SAP, Card reader cover, SSD 1 TB option, Enhanced Security SSD, HDD Option, Bridge unit, XPS, SD card for fonts, Toner bottle lock, Stapleless unit, FAX stamp, Antimicrobial screen protector

CONSUMABLES

Toner (black) Toner (cyan/magenta/yellow)	30,000 prints 18.000 prints	30,000 prints 18,000 prints	40,000 prints 28.000 prints	40,000 prints 28.000 prints	42,000 prints 28,000 prints	42,000 prints 28.000 prints	42,000 prints 28,000 prints
Consumable yield based on 5%	2p⁄j	2p/j	20,000 prints 3p∕j	28,000 prints 3p∕j	28,000 prints 4p∕ j	20,000 prints 4p⁄ j	28,000 prints 4p/j
coverage/A4							

ISO9001 certified, ISO14001 certified, ISO27001 certified. All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear. Copyright © 2023 Ricoh

Europe PLC. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Europe PLC.







Apple AirPrint

8 Bluetooth



าอกาเด